


## 1141/2/250V-2xZ14

HNA-Socket DIN 89262 250V, brass, IP56



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

|                                |                                                                                       |
|--------------------------------|---------------------------------------------------------------------------------------|
| <b>WISKA-Order no.</b>         | 10010573                                                                              |
| <b>Type</b>                    | 1141/2/250V-2xZ14                                                                     |
| <b>Voltage max. (V)</b>        | 250 V                                                                                 |
| <b>Type of Voltage</b>         | AC                                                                                    |
| <b>Current</b>                 | 16 A                                                                                  |
| <b>Protection class</b>        | IP56                                                                                  |
| <b>Material</b>                | Brass                                                                                 |
| <b>Material protective cap</b> | Polyamide                                                                             |
| <b>Using for cable gland</b>   |  |
| <b>Type of cable gland</b>     | M 24 x 1,5                                                                            |
| <b>Ø cable diameter min</b>    | 12 mm                                                                                 |
| <b>Ø cable diameter max</b>    | 14,5 mm                                                                               |
| <b>Type of cable</b>           | armoured                                                                              |
| <b>Socket insert</b>           | 2 - poles + PE                                                                        |
| <b>Terminals/poles</b>         | 2-pole + E                                                                            |
| <b>Temp. range min</b>         | -25 °C                                                                                |
| <b>Temp. range max</b>         | 40 °C                                                                                 |
| <b>Norm</b>                    | DIN 89262                                                                             |
| <b>Weight</b>                  | 1,08 kg                                                                               |
| <b>Mounting</b>                | Surface mounting                                                                      |
| <b>Variations</b>              | on request                                                                            |
| <b>Tariff number</b>           | 85366990                                                                              |

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

## Recommended accessories

|                      |          |
|----------------------|----------|
| 1142/FS/250V-1xW10   | 10010676 |
| 1142/MS/250V-EMSKV20 | 10010677 |

## Spare parts

|                                      |          |
|--------------------------------------|----------|
| SP-181/2 Terminal block              | 22000349 |
| SP-138/250V Socket interior          | 22000375 |
| SP-SK/FS-HNA Screw cap               | 22000376 |
| SP-HNA Cover sealing                 | 22000838 |
| SP-HNA Gasket                        | 22000860 |
| SP-GR/HNA/FS R 1 3/8" Ring nut clear | 22000868 |

28.07.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com