


2000/B 220V/AC/bu

Multi-purpose light with flash electronic 5Ws 220V IP68, blue cover



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

WISKA-Order no.	10015454
Type	2000/B 220V/AC/bu
Material	PBT
Material globe/diffuser	Polycarbonate
Globe colour	Blue
Voltage	220 V
Type of Voltage	AC
Protection class	IP68
Temp. range min	-25 °C
Temp. range max	45 °C
Flash-energy	5Ws 60/Min
Lightsource	Flashlight
Type of cable gland	ESKV 20 PLUS / 7,5-14mm
Ø cable diameter min	7,5 mm
Ø cable diameter max	14 mm
Equipment	4 threaded knockout entry M20
Mounting	Ceiling, Upside down, Upside, Wall, Surface mounting
Colour	Black
External dimensions LxWxH	134x240mm
Weight	0,66 kg

Equipment:

- Plastic: impact resistant, heat-and water resistant
- 4 threaded knockout entries M20
- Separate terminal to loop the armour
- Flash electronic 5Ws (60 flashes/minute)

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

- 2 cable glands ESKV 20 enclosed separately

Spare parts

SP-2000 BL 5 W/S 220V Baseplate flash	22000187
SP-2080 Structured globe blue	22000202
SP-2000 Housing M20	22000382

11.08.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:


WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice