


## SW300 -250-X(24)-P02-I01

Searchlight for halogen lamps Ø 300mm 250W 24V



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

|                               |                          |
|-------------------------------|--------------------------|
| <b>WISKA-Order no.</b>        | 10021300                 |
| <b>Type</b>                   | SW300 -250-X(24)-P02-I01 |
| <b>Material</b>               | Stainless steel          |
| <b>Colour</b>                 | RAL 9016                 |
| <b>Surface</b>                | Powder coated            |
| <b>Wattage</b>                | 250 W                    |
| <b>Voltage max. (V)</b>       | 24 V                     |
| <b>Type of Voltage</b>        | DC                       |
| <b>Protection class</b>       | IP56                     |
| <b>Operational areas</b>      | Outdoor                  |
| <b>Reflector</b>              | Glass                    |
| <b>Focusing</b>               | manuel                   |
| <b>Lightsource</b>            | Halogen lamp             |
| <b>Lightsource incl.</b>      | No                       |
| <b>Light performance</b>      | immediately              |
| <b>Range (1 lux)</b>          | 1140 m                   |
| <b>Light intensity mio/cd</b> | 1,3                      |
| <b>Divergence</b>             | 4,5°/10                  |
| <b>Lampholder</b>             | G6,35                    |
| <b>Number of lampholder</b>   | 1 ST                     |
| <b>Temp. range min</b>        | -25 °C                   |
| <b>Temp. range max</b>        | 45 °C                    |
| <b>Type of cable gland</b>    | ESKVS 20                 |
| <b>Material cable gland</b>   | Polyamide                |
| <b>Type of cable</b>          | non-armoured             |

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|                             |          |
|-----------------------------|----------|
| <b>Ø cable diameter min</b> | 6 mm     |
| <b>Ø cable diameter max</b> | 13 mm    |
| <b>Globe colour</b>         | Clear    |
| <b>Mounting</b>             | Upside   |
| <b>Weight</b>               | 12 kg    |
| <b>Tariff number</b>        | 94054910 |

Remarks:

SW300: Searchlight for halogenlamp 24V, IP56 glass parabolic mirror 300mm

250W

Voltage: 24V

P02: Deck, aluminium

I01: manuel, stepless focusing

Equipment:

- Toughened front glass
- Rubber sealing
- Quick fastening devices
- Connection cable 3m
- Anti dazzle screen

Spare parts

|  |          |
|--|----------|
| <b>SP-S-Quick releases clamp (4 pcs)</b>       | 22000050 |
| <b>SP-SW300-Front frame + Front glass cpl.</b> | 22000091 |
| <b>SP-SW-Halogen lamp 250W 24V G6,35</b>       | 22000094 |
| <b>SP-1995 Lampholder G 6,35</b>               | 22000100 |
| <b>SP-SW-Gasket for searchlight housing</b>    | 22000116 |

12.05.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com




Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com