


KVG 13,5 LG

Cone cable gland, polyamide, Pg 13,5 RAL 7035



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material cable gland	Polyamide, fibre reinforced
Protection class	IP54
Temp. range min	-20 °C
Temp. range max	80 °C
Thread type	PG
Ø Connection thread D	13,5
Length screw-in thread L	9 mm
Ø cable diameter min	9 mm
Ø cable diameter max	12 mm
Key width SW1	21 mm
Key width SW2	24 mm
Collar diameter E1	23 mm
Collar diameter E2	27 mm
Total length TL	35 mm
Product Color	RAL 7035
Type	KVG 13,5 LG
Order no. RAL 7035	10060144
Packing unit	50
EAN number	4007685601443
Tariff number	39269097
ETIM-Classification	EC000441

Recommended accessories

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

MUG 13,5 LG	10060673
ADR 13,5	10061422

11.08.2026

Your Contact:


WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com