


## NMSKE 3/4 EMV-Z

Ex-EMC cable gland, earthing cone, brass nickel-plated, NPT 3/4"



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                |                            |
|--------------------------------|----------------------------|
| Material cable gland           | Brass nickel-plated        |
| Material clamping cage         | Polyamide                  |
| Material sealing gasket        | EPDM                       |
| Material earthing insert       | Brass chromium-plated      |
| Temp. range min                | -40 °C                     |
| Temp. range max                | 75 °C                      |
| Protection class               | IP66 / IP68 (5 bar 30 min) |
| Type of protection             | Ex eb, Ex tb               |
| Ex-Certificate                 | ATEX, IECEx                |
| Thread type                    | NPT                        |
| Ø Connection thread D          | 3/4"                       |
| Length screw-in thread L       | 16 mm                      |
| Ø cable diameter min           | 10 mm                      |
| Ø cable diameter max           | 17 mm                      |
| Ø cable below cable shield max | 16 mm                      |
| Key width SW                   | 29 mm                      |
| Collar diameter (E)            | 32 mm                      |
| Total length TL                | 40 mm - 48 mm              |
| Install. torques fitting       | 10 N m                     |
| Install. torques cap nut       | 10 N m                     |
| Surface                        | Nickel-plated              |
| Order no. nickel-plated        | 10063058                   |
| Type                           | NMSKE 3/4 EMV-Z            |
| Packing unit                   | 50                         |
| Tariff number                  | 85369010                   |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|                            |               |
|----------------------------|---------------|
| <b>EAN number</b>          | 4007685630580 |
| <b>ETIM-Classification</b> | EC000441      |

**Recommended accessories**

|               |          |
|---------------|----------|
| <b>RDE 25</b> | 10060768 |
| <b>BS 17</b>  | 10064012 |

11.08.2026

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

[contact@wiska.de](mailto:contact@wiska.de) · [www.wiska.com](http://www.wiska.com)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com