

KEP 29/36 LG

Enlargement adaptor, polyamide, RAL 7035, Pg29 / Pg36



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	Polyamide, fibre reinforced
Temp. range min	-40 °C
Temp. range max	100 °C
Glow wire test	650 °C
Thread type outer	PG
Ø outer thread	29
Length screw-in thread L	12 mm
Thread type inner	PG
Ø inner thread	36
Length internal thread	15,5 mm
Total length TL	30 mm
Key width SW	53 mm
Collar diameter (E)	59 mm
Product Color	RAL 7035
Order no. RAL 7035	10063601
Type	KEP 29/36 LG
Packing unit	20
EAN number	4007685636018
Tariff number	39269097
ETIM-Classification	EC000938

Recommended accessories

MUG 29 LG	10060676
------------------	----------

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

23.05.2026

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com