


## EMSKE-L 32 LT

Ex-cable gland LowTemp, brass nickel-plated with long thread, M32



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                            |
|--------------------------|----------------------------|
| Material cable gland     | Brass nickel-plated        |
| Material clamping cage   | Polyamide                  |
| Material sealing gasket  | Silicone                   |
| Temp. range min          | -60 °C                     |
| Temp. range max          | 75 °C                      |
| Protection class         | IP66 / IP68 (5 bar 30 min) |
| Type of protection       | Ex eb, Ex tb               |
| Ex-Certificate           | ATEX, IECEx                |
| Thread type              | M                          |
| Ø Connection thread D    | 32                         |
| Lead                     | 1,5                        |
| Length screw-in thread L | 15 mm                      |
| Ø cable diameter min     | 13 mm                      |
| Ø cable diameter max     | 21 mm                      |
| Key width SW             | 36 mm                      |
| Collar diameter (E)      | 40 mm                      |
| Total length TL          | 43 mm - 51 mm              |
| Install. torques fitting | 20 N m                     |
| Install. torques cap nut | 20 N m                     |
| Surface                  | Nickel-plated              |
| Order no. nickel-plated  | 10065942                   |
| Type                     | EMSKE-L 32 LT              |
| Packing unit             | 25                         |
| Tariff number            | 74198090                   |
| EAN number               | 4007685659420              |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

ETIM-Classification

EC000441

**Recommended accessories**

|                  |          |
|------------------|----------|
| <b>EMMU 32</b>   | 10063145 |
| <b>RDE 32 LT</b> | 10063934 |
| <b>BS 21</b>     | 10064014 |

11.08.2026

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · [www.wiska.com](http://www.wiska.com)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com