

ESSKE 25 LT EMV-Z

Ex-EMC Cable gland LowTemp, stainless steel 1.4305, M25



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



| | |
|--------------------------------|-----------------------------|
| Material cable gland | Stainless steel A2 (1.4305) |
| Material clamping cage | Polyamide |
| Material sealing gasket | Silicone |
| Temp. range min | -60 °C |
| Temp. range max | 75 °C |
| Protection class | IP66 / IP68 (5 bar 30 min) |
| Type of protection | Ex tb, Ex eb |
| Ex-Certificate | IECEX, ATEX |
| Thread type | M |
| Ø Connection thread D | 25 |
| Lead | 1,5 |
| Length screw-in thread L | 7 mm |
| Ø cable diameter min | 10 mm |
| Ø cable diameter max | 17 mm |
| Ø cable below cable shield max | 16 mm |
| Key width SW | 30 mm |
| Collar diameter (E) | 33 mm |
| Total length TL | 33 mm - 42 mm |
| Install. torques fitting | 10 N m |
| Install. torques cap nut | 10 N m |
| WISKA-Order no. | 10065981 |
| Type | ESSKE 25 LT EMV-Z |
| Packing unit | 10 |
| Tariff number | 85369010 |
| EAN number | 4007685659819 |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

ETIM-Classification

EC000441

Recommended accessories

| | |
|------------------|----------|
| RDE 25 LT | 10063910 |
| BS 17 | 10064012 |
| ESMU 25 | 10064191 |

26.06.2026

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com