

## SH300 -575-K(220)-P07-I01

Searchlight with metal halide lamp Ø 300mm 575W 230V



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

<b>WISKA-Order no.</b>	10101118
<b>Type</b>	SH300 -575-K(220)-P07-I01
<b>Material</b>	Stainless steel
<b>Wattage</b>	575 W
<b>Colour</b>	RAL 9016
<b>Surface</b>	Powder coated
<b>Voltage</b>	230 V
<b>Type of Voltage</b>	AC
<b>Frequence</b>	50/60 Hz
<b>Protection class</b>	IP56
<b>Operational areas</b>	Outdoor
<b>Reflector</b>	Glass
<b>Focusing</b>	manuel
<b>Lightsource</b>	Metal halide lamp
<b>Lightsource incl.</b>	Yes
<b>Colour temperature</b>	6000 K
<b>Luminous flux</b>	49000 lm
<b>Average lamp durability</b>	750 h
<b>Light performance</b>	immediately, Maximum light after 45 sec.
<b>Range (1 lux)</b>	2280 m
<b>Light intensity mio/cd</b>	5,2
<b>Divergence</b>	6°/10
<b>Lampholder</b>	SFc10-4
<b>Number of lampholder</b>	1 ST
<b>Temp. range min</b>	-25 °C

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

<b>Temp. range max</b>	45 °C
<b>Power supply, standard</b>	PSUH: HMI, 575W, 230VAC
<b>Type of cable gland</b>	ESKVS 20
<b>Material cable gland</b>	Polyamide
<b>Type of cable</b>	non-armoured
<b>Power cable</b>	H07RN-F 3x1,5mm <sup>2</sup>
<b>Ø cable diameter min</b>	6 mm
<b>Ø cable diameter max</b>	13 mm
<b>Globe colour</b>	Clear
<b>Mounting</b>	Upside
<b>Weight</b>	45 kg
<b>Tariff number</b>	94054910

Remarks:

SH300: Searchlight with metal halide lamp 575W, IP56 glass parabolic mirror 300mm

575W

K(220): Power supply unit conventional PSUH, 575W

P07: Pedestal, Polyurethan

I01: manuel, stepless focusing

Equipment:

- Toughened front glass
- Rubber sealing
- Quick fastening devices
- Ignition
- Connection cable 3m
- Anti dazzle screen

**Spare parts**

<b>SP-S-Quick releases clamp (4 pcs)</b>	22000050
<b>SP-SW300-Front frame + Front glass cpl.</b>	22000091
<b>SP-SH/SKS-Metal halide discharge lamp</b>	22000107
<b>SP-SH/SKS-Igniter type IG 575 KVG</b>	22000108
<b>SP-SH/SKS-Lamp holder SFc10-4 for 575W</b>	22000109
<b>SP-SH/SKS-Series impedance for 575W</b>	22000110
<b>SP-SW-Gasket for searchlight housing</b>	22000116

12.05.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com