


HGSM 16-E pack

Cable gland, stainless steel, M16



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material cable gland	Stainless steel A2 (1.4305)
Material sealing gasket	EPDM
Temp. range min	-40 °C
Temp. range max	120 °C
Protection class	IP68 (5 bar 30 min), IP69
Thread type	M
Ø Connection thread D	16
Lead	0,75
Ø cable diameter min	2 mm
Ø cable diameter max	9 mm
Key width SW1	12 mm
Key width SW2	19 mm
Collar diameter E1	13 mm
Collar diameter E2	21 mm
LxWxS (max)	14,5x16x5mm
BxL	21x7mm
Total length TL	17,5 mm - 24,5 mm
Advice	Incl. sealing rings, locknut
WISKA-Order no.	10101854
Type	HGSM 16-E pack
Packing unit	1
Tariff number	73269098
EAN number	4007685041706
ETIM-Classification	EC000441

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

11.08.2026

Your Contact:


WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice