


SW200 -150-X(24)-P17

Searchlight for halogen lamps Ø 200mm, 100W, 24V



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

WISKA-Order no.	10102374
Type	SW200 -150-X(24)-P17
Material	Stainless steel
Colour	RAL 9016
Surface	Powder coated
Wattage	150 W
Voltage max. (V)	24 V
Type of Voltage	AC / DC
Protection class	IP56
Operational areas	Outdoor
Reflector	Glass
Focusing	fixed focus
Lightsource	Halogen lamp
Lightsource incl.	No
Light performance	immediately
Range (1 lux)	692 m
Light intensity mio/cd	0,5
Divergence	5,5°/10
Lampholder	G6,35
Number of lampholder	1 ST
Temp. range min	-25 °C
Temp. range max	45 °C
Type of cable gland	ESVGS 20
Material cable gland	Polyamide
Type of cable	non-armoured

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Power cable	H07RN-F 3x1,5mm ²
Ø cable diameter min	6 mm
Ø cable diameter max	13 mm
Material globe/diffuser	Glass
Globe colour	Clear
External dimensions LxWxH	280 x 195 x 355
Mounting	Upside
Tariff number	94054910

Remarks:

SW200: Searchlight for halogen lamp 24V, IP56, glass parabolic mirror 200mm

150W

Voltage: 24V

P17: deck D200V, stainless steel

Equipment:

- Toughened front glass
- Rubber sealing
- Quick fastening devices
- Connection cable 3m

Spare parts

SP-SW200 Front frame + Front glass S200	22000097
SP-SW-Halogen lamp 150W 24V G6,35	22000099
SP-S-Quick releases clamp (2 pcs)	22000103
SP-SW200 Mirror unit 150W	22000114
SP-SW-Gasket for searchlight housing	22000116
SP-SW200 Deck, cpl. D 200	22000119

23.05.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 📠 +49-4191-508-209
contact@wiska.de · www.wiska.com