


## ESKE/1-i 25 LT

Ex-cable gland LowTemp, polyamide with short thread, RAL 9005/5012, M25



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                                |
|--------------------------|--------------------------------|
| Material cable gland     | Polyamide                      |
| Material sealing gasket  | Silicone                       |
| Temp. range min          | -60 °C                         |
| Temp. range max          | 75 °C                          |
| Protection class         | IP66 / IP68 (5 bar 30 min)     |
| Type of protection       | Ex eb, Ex tb                   |
| Ex-Certificate           | ATEX, IECEx                    |
| Glow wire test           | 750 °C                         |
| Thread type              | M                              |
| Ø Connection thread D    | 25                             |
| Lead                     | 1,5                            |
| Length screw-in thread L | 10 mm                          |
| Ø cable diameter min     | 10 mm                          |
| Ø cable diameter max     | 17 mm                          |
| Key width SW             | 29 mm                          |
| Collar diameter (E)      | 32 mm                          |
| Total length TL          | 38 mm - 47 mm                  |
| Install. torques fitting | 3 N m                          |
| Install. torques cap nut | 2 N m                          |
| Equipment                | Incl. connection thread gasket |
| Product Color            | RAL 5012 / RAL 9005            |
| Order no. RAL 9005       | 10103440                       |
| Type                     | ESKE/1-i 25 LT                 |
| Packing unit             | 50                             |
| EAN number               | 4007685084925                  |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|                            |          |
|----------------------------|----------|
| <b>Tariff number</b>       | 39269097 |
| <b>ETIM-Classification</b> | EC000441 |

## Recommended accessories

|                   |          |
|-------------------|----------|
| <b>EMUG 25 BK</b> | 10061783 |
| <b>RDE 25 LT</b>  | 10063910 |
| <b>BS 17</b>      | 10064012 |

11.08.2026


## Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice