


## VARITAIN® OneTouch ECO 03/FS/FS/32A/25kA

Reefer container socket 32A 25kA 440V 3h 3-gang, stainless steel, RAL 7035



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



<b>WISKA-Order no.</b>	10104118
<b>Type</b>	VARITAIN® OneTouch ECO 03/FS/FS/32A/25kA
<b>Material</b>	Stainless steel 1.4301 (V2A)
<b>Material protective cap</b>	Polyamide
<b>Socket insert</b>	3 - poles + PE
<b>Number of sockets</b>	3
<b>Clock face position</b>	3h
<b>Breaking capacity</b>	25 kA
<b>Voltage max. (V)</b>	440 V
<b>Type of Voltage</b>	AC
<b>Current</b>	32 A
<b>Protection class</b>	IP56 / IP67
<b>Operational areas</b>	Outdoor
<b>Temp. range min</b>	-25 °C
<b>Temp. range max</b>	45 °C
<b>Type of cable gland</b>	EMSKV-RDE 50/EE45-33
<b>Mounting</b>	Wall, Surface mounting
<b>External dimensions LxWxH</b>	595x250x129mm
<b>Colour</b>	RAL 7035
<b>Weight</b>	11 kg
<b>Approval</b>	DNV-GL, BV
<b>Variations</b>	on request
<b>Tariff number</b>	85366990

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

## Spare parts

<b>SP-VARI-OTE/MCCB/25kA</b>	22000390
<b>SP-VARI-OTE-PI/CL</b>	22000391
<b>SP-VARI-OTE/SPACER</b>	22000392
<b>SP-VARI-OT-OTE/SF-FS/NUTS</b>	22000397
<b>SP-VARI-SI/OTE</b>	22000399
<b>SP-CAP NUTS M6</b>	22000402
<b>SP-BC/FS-CEE/BELT/32A</b>	22000403
<b>SP-VARI/TB 35mm<sup>2</sup></b>	22000615
<b>SP-VARI-OTE/25kA/BC/NUTS</b>	22000662
<b>SP-VARI-OT-OTE/SLIDING WASHER</b>	22000694
<b>SP-VARI-OT-OTE/Locking clamp (5 pcs)</b>	22000695
<b>SP-VARI-OT-OTE/WASHER SI</b>	22000885

23.05.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com