

EMCGV 16-120 EMV-Z

EMC Compression gland, brass nickel-plated, M16



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



| | |
|---------------------------------|---------------------|
| Material cable gland | Brass nickel-plated |
| Material sealing gasket | EPDM |
| Temp. range min | -40 °C |
| Temp. range max | 120 °C |
| Protection class | IP68 (5 bar 30 min) |
| Thread type | M |
| Ø Connection thread D | 16 |
| Lead | 1,5 |
| Length screw-in thread L | 6 mm |
| Ø cable diameter min | 10 mm |
| Ø cable diameter max | 12 mm |
| Key width SW | 22 mm |
| Collar diameter (E) | 24 mm |
| Total length TL | 22 mm - 26,5 mm |
| Install. torques fitting | 4 N m |
| Install. torques cap nut | 4 N m |
| Order no. nickel-plated | 10106454 |
| Type | EMCGV 16-120 EMV-Z |
| Packing unit | 50 |
| EAN number | 4007686021776 |
| Tariff number | 74198090 |
| ETIM-Classification | EC000441 |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Recommended accessories

EMMU-EMV 16

10063211

12.05.2026

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 📠 +49-4191-508-209
contact@wiska.de · www.wiska.com