

## EMCGV 50-280 LT

Compression gland LowTemp, brass nickel-plated, M50



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                     |
|--------------------------|---------------------|
| Material cable gland     | Brass nickel-plated |
| Material sealing gasket  | Silicone            |
| Temp. range min          | -60 °C              |
| Temp. range max          | 180 °C              |
| Protection class         | IP68 (5 bar 30 min) |
| Thread type              | M                   |
| Ø Connection thread D    | 50                  |
| Lead                     | 1,5                 |
| Length screw-in thread L | 9 mm                |
| Ø cable diameter min     | 26 mm               |
| Ø cable diameter max     | 28 mm               |
| Key width SW             | 55 mm               |
| Collar diameter (E)      | 60 mm               |
| Total length TL          | 25,5 mm - 30 mm     |
| Install. torques fitting | 30 N m              |
| Install. torques cap nut | 20 N m              |
| Order no. nickel-plated  | 10106529            |
| Type                     | EMCGV 50-280 LT     |
| Packing unit             | 10                  |
| EAN number               | 4007686023282       |
| Tariff number            | 74198090            |
| ETIM-Classification      | EC000441            |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Recommended accessories**

**EMMU 50**

10063147

28.07.2026

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

[contact@wiska.de](mailto:contact@wiska.de) · [www.wiska.com](http://www.wiska.com)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice