

BCA-S-10-BK

Conduit PA6 UL94-V0, RAL 9005, NW10



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	PA6 UL94-V0
Temp. range min	-40 °C
Temp. range max	140 °C
UL-Temp. range max	105 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 9005
NW	10
External diameter ED	13 mm
Ø inside	9,9 mm
Profile width A	2,7 mm
Width B	1,8 mm
Bending radius R	26 mm
Wall thickness S	0,3 mm
Model	Standard profile
UL 1696	Yes
Type	BCA-S-10-BK
Order no. RAL 9005	10107072
Packing unit	50 m
EAN number	4007686036756
Tariff number	39173900
ETIM-Classification	EC001175

Remarks:

UL approval only in conjunction with UL approved conduit fitting

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Recommended accessories

EBFS-10-12-BK	10106862
EBFS-10-16-BK	10106863
EMBFS-10-16-BK	10106894
EMBFS-10-20-BK	10106895
EMBFSI-10-16-BK	10106922
BCC-10-BK	10106940
EBF45-10-16-BK	10106957
EBF90-10-16-BK	10106975
EMBF90-10-12-BK	10107014
EMBF90-10-16-BK	10107015
EMBF45-10-12-BK	10107319
EMBF45-10-16-BK	10107320
EMBF90I-10-16-BK	10107363
EMBFSCG-10-16-BK	10107379
EMBF90CG-10-16-BK	10108006
EBF45-10-12-BK	10108876
EBF90-10-12-BK	10108891

23.05.2026

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com