

BCA-S-23-BK

Conduit PA6 UL94-V0, RAL 9005, NW23



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	PA6 UL94-V0
Temp. range min	-40 °C
Temp. range max	140 °C
UL-Temp. range max	105 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 9005
NW	23
External diameter ED	28,3 mm
Ø inside	23,2 mm
Profile width A	3,4 mm
Width B	2,3 mm
Bending radius R	64 mm
Wall thickness S	0,4 mm
Model	Standard profile
UL 1696	Yes
Type	BCA-S-23-BK
Order no. RAL 9005	10107076
Packing unit	50 m
EAN number	4007686036831
Tariff number	39173900
ETIM-Classification	EC001177

Remarks:

UL approval only in conjunction with UL approved conduit fitting

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Recommended accessories

EBFS-23-25-BK	10106869
EBFS-23-32-BK	10106870
EMBFS-23-25-BK	10106901
EMBFS-23-32-BK	10106902
EMBFSI-23-25-BK	10106926
BCC-23-BK	10106944
EBF45-23-25-BK	10106960
EBF90-23-25-BK	10106978
EMBF90-23-25-BK	10107020
EMBF90-23-32-BK	10107021
EMBF45-23-25-BK	10107325
EMBF45-23-32-BK	10107326
EMBF45I-23-25-BK	10107343
EMBF90I-23-25-BK	10107367
EMBFSCG-23-25-BK	10107383
EMBF45CG-23-25-BK	10107995
EMBF90CG-23-25-BK	10108009
EBF45-23-32-BK	10108879
EBF90-23-32-BK	10108894

12.05.2026

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com