

## BCA-S-29-BK

Conduit PA6 UL94-V0, RAL 9005, NW29



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



<b>Material</b>	PA6 UL94-V0
<b>Temp. range min</b>	-40 °C
<b>Temp. range max</b>	140 °C
<b>UL-Temp. range max</b>	105 °C
<b>Operational areas</b>	EN 45545 - Railway
<b>Product Color</b>	RAL 9005
<b>NW</b>	29
<b>External diameter ED</b>	34,5 mm
<b>Ø inside</b>	29 mm
<b>Profile width A</b>	3,4 mm
<b>Width B</b>	2,3 mm
<b>Bending radius R</b>	77 mm
<b>Wall thickness S</b>	0,4 mm
<b>Model</b>	Standard profile
<b>UL 1696</b>	Yes
<b>Type</b>	BCA-S-29-BK
<b>Order no. RAL 9005</b>	10107077
<b>Packing unit</b>	25 m
<b>EAN number</b>	4007686036855
<b>Tariff number</b>	39173900
<b>ETIM-Classification</b>	EC001177

Remarks:

UL approval only in conjunction with UL approved conduit fitting

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

## Recommended accessories

<b>EBFS-29-32-BK</b>	10106871
<b>EBFS-29-40-BK</b>	10106872
<b>EMBFS-29-32-BK</b>	10106903
<b>EMBFS-29-40-BK</b>	10106904
<b>EMBFSI-29-32-BK</b>	10106927
<b>BCC-29-BK</b>	10106945
<b>EBF45-29-32-BK</b>	10106961
<b>EBF90-29-32-BK</b>	10106979
<b>EMBF90-29-32-BK</b>	10107022
<b>EMBF90-29-40-BK</b>	10107023
<b>EMBF45-29-32-BK</b>	10107327
<b>EMBF45-29-40-BK</b>	10107328
<b>EMBF45I-29-32-BK</b>	10107344
<b>EMBF90I-29-32-BK</b>	10107368
<b>EMBFSCG-29-32-BK</b>	10107384
<b>EMBF45CG-29-32-BK</b>	10107996
<b>EMBF90CG-29-32-BK</b>	10108010
<b>EBF45-29-40-BK</b>	10108880
<b>EBF90-29-40-BK</b>	10108895

12.05.2026

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com