

BCA-S-17-BG

Conduit PA6 UL94-V0, RAL 7031, NW17



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	PA6 UL94-V0
Temp. range min	-40 °C
Temp. range max	140 °C
UL-Temp. range max	105 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 7031
NW	17
External diameter ED	21,2 mm
Ø inside	16,6 mm
Profile width A	3,3 mm
Width B	2,3 mm
Bending radius R	56 mm
Wall thickness S	0,3 mm
Model	Standard profile
UL 1696	Yes
Type	BCA-S-17-BG
Order no. RAL 7031	10107082
Packing unit	50 m
EAN number	4007686036954
Tariff number	39173900
ETIM-Classification	EC001177

Remarks:

UL approval only in conjunction with UL approved conduit fitting

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Recommended accessories

EBFS-17-20-BG	10106850
EBFS-17-25-BG	10106851
EMBFS-17-20-BG	10106883
EMBFS-17-25-BG	10106884
EMBFSI-17-20-BG	10106917
BCC-17-BG	10106934
EBF45-17-20-BG	10106951
EBF90-17-20-BG	10106969
EMBF45-17-20-BG	10106987
EMBF45-17-25-BG	10106988
EMBF90-17-20-BG	10107003
EMBF90-17-25-BG	10107004
EMBF45I-17-20-BG	10107335
EMBF90I-17-20-BG	10107357
EMBFSCG-17-20-BG	10107374
EMBF45CG-17-20-BG	10107988
EMBF90CG-17-20-BG	10108001
EBF45-17-25-BG	10108872
EBF90-17-25-BG	10108886

12.05.2026

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 📠 +49-4191-508-209
contact@wiska.de · www.wiska.com