


BCAV-10-D-BK

Conduit, divided PA6 UL94-V2



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	PA6 UL94-V2
Temp. range min	-40 °C
Temp. range max	125 °C
Operational areas	for subsequent assembly
Product Color	RAL 9005
NW	10
External diameter ED	12,9 mm
Ø inside	7,9 mm
Profile width A	4 mm
Width B	2,9 mm
Bending radius R	60 mm
Wall thickness S	0,5 mm
Closable (two-part)	yes
Model	divided
Type	BCAV-10-D-BK
Order no. RAL 9005	10107134
Packing unit	50 m
EAN number	4007686038002
Tariff number	39173900
ETIM-Classification	EC001177

Recommended accessories

EBFS-10-12-BK	10106862
----------------------	----------

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

EBFS-10-16-BK	10106863
EMBFS-10-16-BK	10106894
EMBFS-10-20-BK	10106895
EMBFSI-10-16-BK	10106922
BCC-10-BK	10106940
EBF45-10-16-BK	10106957
EBF90-10-16-BK	10106975
EMBF90-10-12-BK	10107014
EMBF90-10-16-BK	10107015
EMBF45-10-12-BK	10107319
EMBF45-10-16-BK	10107320
EMBF90I-10-16-BK	10107363
EMBFSCG-10-16-BK	10107379
EMBF90CG-10-16-BK	10108006
EBF45-10-12-BK	10108876

23.05.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

✉ contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com