


BCAV-36-D-BG

Conduit, divided PA6 UL94-V2



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	PA6 UL94-V2
Temp. range min	-40 °C
Temp. range max	125 °C
Operational areas	for subsequent assembly
Product Color	RAL 7031
NW	36
External diameter ED	41,8 mm
Ø inside	32 mm
Profile width A	6,2 mm
Width B	4,2 mm
Bending radius R	160 mm
Wall thickness S	0,8 mm
Closable (two-part)	yes
Model	divided
Type	BCAV-36-D-BG
Order no. RAL 7031	10107146
Packing unit	25 m
EAN number	4007686038248
Tariff number	39173900
ETIM-Classification	EC001177

Recommended accessories

EBFS-36-40-BG	10106856
----------------------	----------

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

EBFS-36-50-BG	10106857
EMBFS-36-40-BG	10106889
EMBFS-36-50-BG	10106890
EMBFSI-36-40-BG	10106920
BCC-36-BG	10106937
EBF45-36-40-BG	10106954
EBF90-36-40-BG	10106972
EMBF45-36-40-BG	10106993
EMBF45-36-50-BG	10106994
EMBF90-36-40-BG	10107009
EMBF90-36-50-BG	10107010
EMBF45I-36-40-BG	10107338
EMBF90I-36-40-BG	10107361
EMBFSCG-36-40-BG	10107377
EMBF45CG-36-40-BG	10107991
EMBF90CG-36-40-BG	10108004
EBF45-36-50-BG	10108875

11.08.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:


WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice