


BCAV-48-D-BG

Conduit, divided PA6 UL94-V2



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	PA6 UL94-V2
Temp. range min	-40 °C
Temp. range max	125 °C
Operational areas	for subsequent assembly
Product Color	RAL 7031
NW	48
External diameter ED	54,2 mm
Ø inside	43 mm
Profile width A	6,2 mm
Width B	4,2 mm
Bending radius R	170 mm
Wall thickness S	0,8 mm
Closable (two-part)	yes
Model	divided
Type	BCAV-48-D-BG
Order no. RAL 7031	10107147
Packing unit	25 m
EAN number	4007686038262
Tariff number	39173900
ETIM-Classification	EC001177

Recommended accessories

EBFS-48-50-BG	10106858
----------------------	----------

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

EBFS-48-63-BG	10106859
EMBFS-48-50-BG	10106891
EMBFS-48-63-BG	10106892
EMBFSI-48-50-BG	10106921
BCC-48-BG	10106938
EBF45-48-50-BG	10106955
EBF90-48-50-BG	10106973
EMBF45-48-50-BG	10106995
EMBF45-48-63-BG	10106996
EMBF90-48-50-BG	10107011
EMBF90-48-63-BG	10107012
EMBF45I-48-50-BG	10107339
EMBF90I-48-50-BG	10107362
EMBFSCG-48-50-BG	10107378
EMBF45CG-48-50-BG	10107992
EMBF90CG-48-50-BG	10108005
EBF45-48-63-BG	10108882

11.08.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:


WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice