


IBS4020/IP/PTZ/P/EP

Junction box IBS4020, stainless steel, IP67



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Type	IBS4020/IP/PTZ/P/EP
WISKA-Order no.	10108433
Material	Stainless steel
Protection class	IP66 / IP67
Temp. range min	-30 °C
Temp. range max	55 °C
Vibration (0-100Hz)	0,7 g
Operational areas	Indoor / Outdoor
Range of use	Network system
for camera	IP with preset
Mounting	Surface mounting
Colour	RAL 9016
Surface	Powder coated
Voltage	100 V - 240 V
Type of Voltage	AC, 50-60Hz
Max. Power	4 A
Max. Wattage
	134 W
Weight	8 kg
Tariff number	85369010

Remarks:

Junction box type IBS4020/IP/PTZ/P,
Stainless steel, IP66/67. For IP camera station
Type CH-S(W)240/... with electric pan&tilt
unit FL6/P (DC).
Power supply: 100...230VAC /50-60Hz 4A,

Your Contact:

WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 📠 +49-4191-508-209
contact@wiska.de · www.wiska.com



Cable glands: 5x EMSKV 20, 1x EMSKV 25, 1x VSM 20

12.05.2026



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com