


## EZMGV-L 20

Cable gland, zinc, M20 with long connection thread



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



<b>Material cable gland</b>	Zinc nickel-plated
<b>Material clamping cage</b>	Polyamide / TPE
<b>Material sealing gasket</b>	EPDM
<b>Temp. range min</b>	-40 °C
<b>Temp. range max</b>	80 °C
<b>Protection class</b>	IP66 / IP68
<b>Thread type</b>	M
<b>Ø Connection thread D</b>	20
<b>Lead</b>	1,5
<b>Length screw-in thread L</b>	11,5 mm
<b>Ø cable diameter min</b>	6 mm
<b>Ø cable diameter max</b>	13 mm
<b>Key width SW</b>	22 mm
<b>Collar diameter (E)</b>	24 mm
<b>Total length TL</b>	29 mm - 37 mm
<b>Install. torques cap nut</b>	2 N m
<b>Install. torques fitting</b>	3 N m
<b>WISKA-Order no.</b>	10108742
<b>Type</b>	EZMGV-L 20
<b>Packing unit</b>	50
<b>Tariff number</b>	79070000
<b>EAN number</b>	4007686100730
<b>ETIM-Classification</b>	EC000441

Remarks:

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

- Protection class IP66 / IP68 (1,0bar/12h) for cable Ø 6-13mm
- For cable Ø 6-8mm Type of strain relief A according to EN 62444
- For cable Ø 8-13mm Type of strain relief B according to EN 62444

12.05.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com