


BMCG-PVC-S-27-BK-GT

Conduit galvanized steel PVC coated greater temperature range RAL 9005 NW27



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	galvanized steel
Sheathing material 1st coating	PVC
Surface	smooth
Product Color	RAL 9005
Protection class	IP67
Temp. range min	-40 °C
Temp. range max	105 °C
Operational areas	Hygienic design, Mechanical plant engineering
NW	27
External diameter ED	33 mm
Ø inside	26,5 mm
Bending radius R	120 mm
Type	BMCG-PVC-S-27-BK-GT
WISKA-Order no.	10109043
Packing unit	30 m
EAN number	4007686079814
Tariff number	83071000
ETIM-Classification	EC001179

Recommended accessories

EMBMFS-S-27-25	10109105
EMBMFS-S-27-32	10109107
EMBMFS-S-27-40	10109109

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

23.05.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 📠 +49-4191-508-209
contact@wiska.de · www.wiska.com