

BCAB-L-10-BK

Conduit, PA 6 HB, lightweight, RAL 9005, NW10



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



| | |
|-----------------------------|------------------------------|
| Material | PA6 UL94-HB |
| Temp. range min | -40 °C |
| Temp. range max | 140 °C |
| Operational areas | Mechanical plant engineering |
| Product Color | RAL 9005 |
| NW | 10 |
| External diameter ED | 13 mm |
| Ø inside | 10 mm |
| Profile width A | 2,7 mm |
| Width B | 1,8 mm |
| Bending radius R | 20 mm |
| Wall thickness S | 0,3 mm |
| Model | light |
| Type | BCAB-L-10-BK |
| Order no. RAL 9005 | 10109182 |
| Packing unit | 50 m |
| EAN number | 4007686083651 |
| Tariff number | 39173900 |
| ETIM-Classification | EC001175 |

Recommended accessories

| | |
|----------------------|----------|
| EBFS-10-12-BK | 10106862 |
| EBFS-10-16-BK | 10106863 |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

| | |
|--------------------------|----------|
| EMBFS-10-16-BK | 10106894 |
| EMBFS-10-20-BK | 10106895 |
| EMBFSI-10-16-BK | 10106922 |
| BCC-10-BK | 10106940 |
| EBF45-10-16-BK | 10106957 |
| EBF90-10-16-BK | 10106975 |
| EMBF90-10-12-BK | 10107014 |
| EMBF90-10-16-BK | 10107015 |
| EMBF45-10-12-BK | 10107319 |
| EMBF45-10-16-BK | 10107320 |
| EMBF90I-10-16-BK | 10107363 |
| EMBFSCG-10-16-BK | 10107379 |
| EMBF90CG-10-16-BK | 10108006 |
| EBF45-10-12-BK | 10108876 |
| EBF90-10-12-BK | 10108891 |

23.05.2026

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com