

## BCIB-H-29-BG

Conduit, PA 12 HB, heavyweight, RAL 7031, NW29



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



<b>Material</b>	PA12 UL94-HB
<b>Temp. range min</b>	-40 °C
<b>Temp. range max</b>	120 °C
<b>Operational areas</b>	Robotics applications
<b>Product Color</b>	RAL 7031
<b>NW</b>	29
<b>External diameter ED</b>	34,5 mm
<b>Ø inside</b>	28,9 mm
<b>Profile width A</b>	3,4 mm
<b>Width B</b>	3,4 mm
<b>Bending radius R</b>	67 mm
<b>Wall thickness S</b>	0,6 mm
<b>Model</b>	heavy
<b>Type</b>	BCIB-H-29-BG
<b>Order no. RAL 7031</b>	10109235
<b>Packing unit</b>	25 m
<b>EAN number</b>	4007686084597
<b>Tariff number</b>	39173900
<b>ETIM-Classification</b>	EC001175

### Recommended accessories

<b>EBFS-29-32-BG</b>	10106854
<b>EBFS-29-40-BG</b>	10106855

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

<b>EMBFS-29-32-BG</b>	10106887
<b>EMBFS-29-40-BG</b>	10106888
<b>EMBFSI-29-32-BG</b>	10106919
<b>BCC-29-BG</b>	10106936
<b>EBF45-29-32-BG</b>	10106953
<b>EBF90-29-32-BG</b>	10106971
<b>EMBF45-29-32-BG</b>	10106991
<b>EMBF45-29-40-BG</b>	10106992
<b>EMBF90-29-32-BG</b>	10107007
<b>EMBF90-29-40-BG</b>	10107008
<b>EMBF45I-29-32-BG</b>	10107337
<b>EMBF90I-29-32-BG</b>	10107360
<b>EMBFSCG-29-32-BG</b>	10107376
<b>EMBF45CG-29-32-BG</b>	10107990
<b>EMBF90CG-29-32-BG</b>	10108003
<b>EBF45-29-40-BG</b>	10108874

12.05.2026

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com