

## BCIB-H-36-BG

Conduit, PA 12 HB, heavyweight, RAL 7031, NW36



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



<b>Material</b>	PA12 UL94-HB
<b>Temp. range min</b>	-40 °C
<b>Temp. range max</b>	120 °C
<b>Operational areas</b>	Robotics applications
<b>Product Color</b>	RAL 7031
<b>NW</b>	36
<b>External diameter ED</b>	42,5 mm
<b>Ø inside</b>	35,2 mm
<b>Profile width A</b>	4,2 mm
<b>Width B</b>	4,1 mm
<b>Bending radius R</b>	81 mm
<b>Wall thickness S</b>	0,7 mm
<b>Model</b>	heavy
<b>Type</b>	BCIB-H-36-BG
<b>Order no. RAL 7031</b>	10109236
<b>Packing unit</b>	25 m
<b>EAN number</b>	4007686084610
<b>Tariff number</b>	39173900
<b>ETIM-Classification</b>	EC001175

### Recommended accessories

<b>EBFS-36-40-BG</b>	10106856
<b>EBFS-36-50-BG</b>	10106857

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

<b>EMBFS-36-40-BG</b>	10106889
<b>EMBFS-36-50-BG</b>	10106890
<b>EMBFSI-36-40-BG</b>	10106920
<b>BCC-36-BG</b>	10106937
<b>EBF45-36-40-BG</b>	10106954
<b>EBF90-36-40-BG</b>	10106972
<b>EMBF45-36-40-BG</b>	10106993
<b>EMBF45-36-50-BG</b>	10106994
<b>EMBF90-36-40-BG</b>	10107009
<b>EMBF90-36-50-BG</b>	10107010
<b>EMBF45I-36-40-BG</b>	10107338
<b>EMBF90I-36-40-BG</b>	10107361
<b>EMBFSCG-36-40-BG</b>	10107377
<b>EMBF45CG-36-40-BG</b>	10107991
<b>EMBF90CG-36-40-BG</b>	10108004
<b>EBF45-36-50-BG</b>	10108875

12.05.2026

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:  
**WISKA Hoppmann GmbH**  
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany  
☎ +49-4191-508-0 · 📠 +49-4191-508-209  
contact@wiska.de · www.wiska.com