

BCI-S-17-BK

Conduit PA12 UL94-V1, RAL 9005, NW17



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



| | |
|-----------------------------|---------------------|
| Material | WISKAmid PA12 V1 RW |
| Temp. range min | -50 °C |
| Temp. range max | 120 °C |
| Operational areas | EN 45545 - Railway |
| Product Color | RAL 9005 |
| NW | 17 |
| External diameter ED | 21 mm |
| Ø inside | 15,8 mm |
| Profile width A | 3,3 mm |
| Width B | 2,3 mm |
| Bending radius R | 36 mm |
| Wall thickness S | 0,3 mm |
| Model | Standard profile |
| Type | BCI-S-17-BK |
| Order no. RAL 9005 | 10109951 |
| Packing unit | 50 m |
| EAN number | 4007686105063 |
| Tariff number | 39173900 |
| ETIM-Classification | EC001177 |

12.05.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com




Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com