


BCI-H-14-BK

Conduit, PA 12 V1, heavyweight, RAL 9005, NW14



Properties	Value	Unit
Material	PA 12 V1	
Weight (kg/m)	0.14	
Length (m)	50	
Weight (kg)	7.0	
Internal diameter (mm)	14.2	
External diameter (mm)	18.5	
Wall thickness (mm)	0.3	
Profile width (mm)	3.3	
Width (mm)	2.9	
Bending radius (mm)	34	
Pitch (mm)	10	
Order no. RAL 9005	10110210	
Packing unit	50 m	
EAN number	4007686272437	
Tariff number	39173900	

Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	WISKAmid PA12 V1 RW
Temp. range min	-50 °C
Temp. range max	110 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 9005
NW	14
External diameter ED	18,5 mm
Ø inside	14,2 mm
Profile width A	3,3 mm
Width B	2,9 mm
Bending radius R	34 mm
Wall thickness S	0,3 mm
Model	other
Type	BCI-H-14-BK
Order no. RAL 9005	10110210
Packing unit	50 m
EAN number	4007686272437
Tariff number	39173900

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

11.08.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:


WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice