

D100/42212/IP/PTZ/P/0M

IP outdoor PTZ compact camera station, zoom 12x optical



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

| | |
|-----------------------------------|----------------------------|
| Type | D100/42212/IP/PTZ/P/0M |
| WISKA-Order no. | 10110227 |
| Material | PBT |
| Colour | Black |
| Material Dome | polycarbonate |
| Operational areas | Outdoor, Indoor |
| Weight | 2 kg |
| Protection class | IP66 / IP68 |
| Temp. range min | -30 °C |
| Temp. range max | 60 °C |
| Humidity | 100 % |
| Wash&Wipe | No |
| Resolution | HDTV 1080p (2MP) |
| Image Sensor | 1/2.8" Starvis CMOS |
| Video Standard | Digital |
| Video Streaming | H.264/MJPEG |
| Zoom | Yes |
| Zoom (opt. x digi.) | 192 (opt: 12x digi: 16x) |
| Frames per Second | 30 |
| Lighting Conditions | Low light |
| Min. illumination | 0,005 lx / 0,0005 lx (b/w) |
| Angle of View (horizontal) | 58,2° - 4,8° |
| Angle of View (vertical) | 32.9° - 2.8° |
| Pan/Tilt | Remote operated |
| P/T-Type | included |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

| | |
|------------------------------|-----------------------|
| Presets P/T | Yes |
| Rotation horizontal | 360 ° |
| Rotation vertical | 180° |
| Mounting | Upside down, vertical |
| Type of Voltage | POE+ (IEEE 802.at) |
| Wattage | 12 W |
| Junction box required | No |
| CCTV add-on | BLC, HLC, WDR |
| Tariff number | 85255000 |

Remarks:

IP Dome Camera, IP66/68,
 vandal resistant PBT housing with
 Polycarbonate cover,
 Resolution: 2MP / 1080p / @25/30fps
 Zoom: 12x (optical) / 16x (digital), PTZ, preset,
 endless rotation, low light / starlight technology,
 Power: POE +


Spare parts

| | |
|--------------------------------|----------|
| SP-CCTV Dome Globe D100 | 22001314 |
|--------------------------------|----------|

12.05.2026

Your Contact:

WISKA Hoppmann GmbH
 Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
 ☎ +49-4191-508-0 · 📠 +49-4191-508-209
 contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com