


BCIB-S-48-BK

Conduit PA12 HB, RAL 9005, NW48



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	PA12 UL94-HB
Temp. range min	-40 °C
Temp. range max	120 °C
Operational areas	Robotics applications
Product Color	RAL 9005
NW	48
External diameter ED	54,5 mm
Ø inside	46,5 mm
Profile width A	4,3 mm
Width B	2,8 mm
Bending radius R	102 mm
Wall thickness S	0,5 mm
Model	Standard profile
Type	BCIB-S-48-BK
Order no. RAL 9005	10111358
Packing unit	25 m
EAN number	4007686279955
Tariff number	39173900
ETIM-Classification	EC001175

11.08.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:


WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice