


COMBI 304 LED Light AC LG

LED multi-purpose luminaire 304 plastic 2,5W, 230VAC



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

WISKA-Order no.	10112593
Type	COMBI 304 LED Light AC LG
Material	Plastic
Globe colour	Opal
Power[^]	2,5 W
Voltage	230 V
Protection class	IP66
Type of Voltage	AC / DC
Frequence	50/60 Hz
Operational areas	Outdoor, Indoor
Temp. range min	-20 °C
Temp. range max	45 °C
Lightsource	LED
Lightsource incl.	Yes
Colour temperature	2700 K
Luminous flux	200 lm
Colour rendering index	RA>90
Type of cable gland	M 20 x 1,5
Average lamp durability	30000 h
Rated Lifetime	L90/B10 @Ta +45 °C
Mounting	Wall, Surface mounting
Colour	Grey
External dimensions LxWxH	Ø 87 x 67 mm
Weight	0,16 kg

Remarks:

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

- incl. 1 Ventgland ESVG 20 BK for cable Ø 6-13mm
enclosed loose

12.05.2026




Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com




Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com