


**SWITCH/TP/16P/GBit/16PoE+/2SFP/OUT**



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

<b>Type</b>	SWITCH/TP/16P/GBit/16PoE+/2SFP/OUT
<b>WISKA-Order no.</b>	10112617
<b>Material</b>	Stainless steel
<b>Colour</b>	RAL 9016
<b>Operational areas</b>	Indoor
<b>for camera</b>	IP
<b>Mounting</b>	Surface mounting
<b>Temp. range min</b>	-25 °C
<b>Temp. range max</b>	50 °C
<b>Protection class</b>	IP66 / IP67
<b>Software</b>	Unmanaged
<b>L2/L3 Service</b>	no Setup
<b>PoE ports</b>	0
<b>PoE+ ports</b>	16
<b>RJ45 ports</b>	16
<b>SFP ports</b>	2
<b>FOC ports</b>	0
<b>Advice</b>	Boxed
<b>Voltage</b>	100 V - 240 V
<b>Type of Voltage</b>	AC
<b>Frequence</b>	50/60 Hz
<b>Wattage</b>	440 W
<b>Weight</b>	7,5 kg
<b>Tariff number</b>	85176200

Remarks:

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Unmanaged Ethernet Switch**

**PoE standard: IEEE 802.3at,**

**Ports: 16 x RJ45 GBit POE+,**

**2x FO incl. Splice box**

**Total POE power: 250W**

**Integrated power supply and fan**

**Assembly: outdoor**

**Color: RAL 9016**

**Working temperature: -25°C - +50°C**

**Input voltage: 100-230VAC**

**Total power supply: 390W**

**Housing type IBS554012**

**Stainless steel, IP66/67**

**Dimensions: 550 x 400 x 120mm**



**KLE: 17x EMSKV M20, 1x EMSKV 20-25**

12.05.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com



FRONT VIEW

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com