


# SD-2-135

## LED Searchlight



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

<b>WISKA-Order no.</b>	10113513
<b>Type</b>	SD-2-135
<b>P/T-Type</b>	integrated
<b>Horizontal °/s</b>	variable
<b>Vertical °/s</b>	variable
<b>Rotation horizontal</b>	360° endless
<b>Rotation vertical</b>	360° endless
<b>Material</b>	Aluminium, Stainless steel
<b>Control unit</b>	RCU-E-S
<b>Wattage</b>	200 W
<b>Colour</b>	RAL 9016
<b>Surface</b>	Powder coated
<b>Voltage</b>	230 V
<b>Type of Voltage</b>	AC
<b>Frequency</b>	50/60 Hz
<b>Protection class</b>	IP66, IP68
<b>Operational areas</b>	Outdoor
<b>Focusing</b>	electric

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

<b>Lightsource</b>	LED Cluster
<b>Lightsource incl.</b>	Yes
<b>Colour temperature</b>	5000 K
<b>Luminous flux</b>	16000 lm
<b>Rated Lifetime</b>	L80/B10 @Ta +45 °C
<b>System Lifetime</b>	20000 h
<b>Light performance</b>	immediately
<b>Range (1 lux)</b>	1850 m
<b>Light intensity mio/cd</b>	3,4
<b>Divergence</b>	3,0°/10
<b>Colour rendering index</b>	≥ 70
<b>Temp. range min</b>	-25 °C
<b>Temp. range max</b>	45 °C
<b>Power supply, electronic</b>	PSUD
<b>Mounting</b>	Upside down, Upside
<b>Weight</b>	50,5 kg
<b>Tariff number</b>	94054210

Remarks:

LED Searchlight

2 LED cluster mounted on Pan and Tilt unit

Searchlight: IP66/68 (0,2 bar 30 min)

2x100W searchlight function or

2x135W floodlight function

Morsefunction

Switchable as searchlight or floodlight

Dimmable light intensity

Incl.

- Electronic power supply unit PSUD, 230VAC, IP66

- Remote control unit RCU-E-S, 24VDC, IP56

12.05.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com




Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com