

## VMSKV-C 16



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                                  |
|--------------------------|----------------------------------|
| Material cable gland     | Brass lead-free chromium-plat.   |
| Material clamping cage   | Polyamide                        |
| Material sealing gasket  | EPDM                             |
| Temp. range min          | -40 °C                           |
| Temp. range max          | 100 °C                           |
| Protection class         | IP66 / IP68 (5 bar 30 min), IP69 |
| Thread type              | M                                |
| Ø Connection thread D    | 16                               |
| Lead                     | 1,5                              |
| Length screw-in thread L | 9 mm                             |
| Ø cable diameter min     | 4 mm                             |
| Ø cable diameter max     | 13 mm                            |
| Key width SW1            | 24 mm                            |
| Key width SW2            | 24 mm                            |
| Collar diameter E1       | 26 mm                            |
| Collar diameter E2       | 26 mm                            |
| Total length TL          | 30 mm - 36,5 mm                  |
| Install. torques fitting | 8 N m                            |
| Install. torques cap nut | 8 N m                            |
| Impact category          | 6                                |
| Surface                  | Chromium-plated                  |
| WISKA-Order no.          | 10114187                         |
| Type                     | VMSKV-C 16                       |
| Packing unit             | 10                               |
| Tariff number            | 85369010                         |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|                               |                     |
|-------------------------------|---------------------|
| <b>EAN number</b>             | 4007686328578       |
| <b>ETIM-Classification</b>    | EC000441            |
| <b>VG Registration number</b> | E71E330/26002       |
| <b>VG Labeling</b>            | VG88846-4-A001-C-LF |

20.09.2026

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

[contact@wiska.de](mailto:contact@wiska.de) · [www.wiska.com](http://www.wiska.com)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice