

## VMSKV-C 56



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                                  |
|--------------------------|----------------------------------|
| Material cable gland     | Brass lead-free chromium-plat.   |
| Material clamping cage   | Polyamide                        |
| Material sealing gasket  | EPDM                             |
| Temp. range min          | -40 °C                           |
| Temp. range max          | 100 °C                           |
| Protection class         | IP66 / IP68 (5 bar 30 min), IP69 |
| Thread type              | M                                |
| Ø Connection thread D    | 56                               |
| Lead                     | 2                                |
| Length screw-in thread L | 15 mm                            |
| Ø cable diameter min     | 28 mm                            |
| Ø cable diameter max     | 48 mm                            |
| Key width SW1            | 68 mm                            |
| Key width SW2            | 68 mm                            |
| Collar diameter E1       | 73 mm                            |
| Collar diameter E2       | 73 mm                            |
| Total length TL          | 55,5 mm - 69,5 mm                |
| Type of cable anchorage  | A                                |
| Install. torques fitting | 40 N m                           |
| Install. torques cap nut | 40 N m                           |
| Impact category          | 6                                |
| Surface                  | Chromium-plated                  |
| WISKA-Order no.          | 10114198                         |
| Type                     | VMSKV-C 56                       |
| Packing unit             | 1                                |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|                               |                     |
|-------------------------------|---------------------|
| <b>Tariff number</b>          | 85369010            |
| <b>EAN number</b>             | 4007686328813       |
| <b>ETIM-Classification</b>    | EC000441            |
| <b>VG Registration number</b> | E71E330/26002       |
| <b>VG Labeling</b>            | VG88846-4-A007-C-LF |

20.09.2026

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice