


PH-NSF-15-WT

NEMA socket flush mounting 125V IP44, plastic, white



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



WISKA-Order no.	50016597
Type	PH-NSF-15-WT
Voltage	125 V
Current	15 A
Protection class	IP44
Material	Thermoplastic
External dimensions LxWxH	81x85x5,5mm
Socket insert	NEMA
Terminals/poles	2-pole + E
Weight	0,1 kg
Colour	oyster white similar RAL 1013, White
Mounting	Recessed mounting
Variations	on request
Tariff number	85366990

Remarks:

NEMA socket flush mounting IP 44
 Current intensity: 15A 125V
 central plate with hinged cover
 crushproof, imprint "110V" and frame
 Material: Thermoplast
 Colour: oyster white similar to RAL 1013
 Socket interior: 2-pole + PE

Recommended accessories

Switch box cavity wall, Kaiser 9061-00	50016285
---	----------

Your Contact:

WISKA Hoppmann GmbH
 Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
 ☎ +49-4191-508-0 · 📠 +49-4191-508-209
 contact@wiska.de · www.wiska.com

Spare parts

PH D 80.671 WU W frame 1-gang

50102804

12.05.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com