



DAS-760-WH-230/230-PB

Double signal light white reduced 2x65W 230V P28s 3nm 360°



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



WISKA-Order no.	50100440
Type	DAS-760-WH-230/230-PB
Material	Polyamide, fibre reinforced
Material globe/diffuser	PMMA
Globe colour	white reduced
Power[^]	2 x 65 W
Voltage	230 V
Type of Voltage	AC
Frequence	50/60 Hz
Protection class	IP56
Operational areas	Outdoor
Temp. range min	-30 °C
Temp. range max	55 °C
Lampholder	P28s
Number of lampholder	2 ST
Lightsource	Incandescent lamp
Lightsource incl.	Yes
Signal range	3nm
Model	Double signal light
Sector	360°
Using for cable gland	
Material cable gland	Polyamide
Ø cable diameter min	6 mm
Ø cable diameter max	13 mm
Mounting	Upside

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Colour	Black
External dimensions LxWxH	200x250x417mm
Weight	3,11 kg
Approval	MED, DNV-GL, BSH, UL
Tariff number	94054940

Remarks:

- Cable connection via cable connection box

Recommended accessories

SP-Rubber pads navigation light (4 pcs)	22000909
Vibration dampers -PB	50107255

Spare parts

Bulb 65W 230V P28s -PB	50100452
Lampholder P28s - PB	50101879
Connection cover for lantern 760/780 -PB	50106448
Terminal block for lantern 760/780 -PB	50106871
Cover for lantern 760 cpl.	50107565

23.05.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com




Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

✉ contact@wiska.de · www.wiska.com