


# SO-63A-FS-400V-4P-6H-IP67-K01-C01

CEE Wall mounted receptacle, 63A 400V 6h, plastic, IP67



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

|                     |                                         |
|---------------------|-----------------------------------------|
| WISKA-Order no.     | 50100970                                |
| Type                | SO-63A-FS-400V-4P-6H-IP67-K01-C01       |
| Material            | Plastic                                 |
| Current             | 63 A                                    |
| Voltage max. (V)    | 400 V                                   |
| Protection class    | IP67                                    |
| Number of sockets   | 1                                       |
| Temp. range min     | -25 °C                                  |
| Temp. range max     | 45 °C                                   |
| Clock face position | 6h                                      |
| Socket insert       | 3 - poles + PE                          |
| Operational areas   | Outdoor, Engine room, Indoor work space |
| Mounting            | Surface mounting                        |
| Weight              | 0,92 kg                                 |
| Variations          | on request                              |
| Tariff number       | 85366990                                |

Remarks:

Contact: standard

Connection technology: Screw terminals - SoftCONTACT

- back-mounted, with cable entries once upstairs and two downstairs blind,
- lower housing to be rotary 180°, made of plastic
- without cable glands

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com

**Pre-stamping for cable entry:**

**3x M40**

12.08.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

[contact@wiska.de](mailto:contact@wiska.de) · [www.wiska.com](http://www.wiska.com)



| Zeichnung                       | Amp.<br>Pole | 63                            |       |       |
|---------------------------------|--------------|-------------------------------|-------|-------|
|                                 |              | 3                             | 4     | 5     |
| 1 MB 112                        |              |                               |       |       |
| Maße in mm                      | a            | 170                           | 170   | 170   |
|                                 | b            | 118                           | 118   | 118   |
|                                 | c            | 175                           | 175   | 175   |
|                                 | d            | 134,5                         | 134,5 | 134,5 |
|                                 | e            | 103                           | 103   | 103   |
|                                 | f            | 6,1                           | 6,1   | 6,1   |
|                                 | g            | 6                             | 6     | 6     |
|                                 | h            | 219                           | 219   | 219   |
|                                 | M            | 40                            | 40    | 40    |
|                                 | M*           | 2x40 (blind) zum Ausschneiden |       |       |
| Leitung bis mm Ø                |              | 27                            | 27    | 27    |
| Klemmen für Leiterquer-         |              | 6                             | 6     | 6     |
| schnitt von bis mm <sup>2</sup> |              | —25                           | —25   | —25   |

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com