


## TKL-Lumius-Flex-30135DIM-SUNNEX

LED Chart table light 4W 12-36V DC IP20



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

<b>WISKA-Order no.</b>	50105594
<b>Type</b>	TKL-Lumius-Flex-30135DIM-SUNNEX
<b>Wattage</b>	4 W
<b>Power<sup>^</sup></b>	1 x 4 W
<b>Voltage</b>	36 V
<b>Voltage min. (V)</b>	12 V
<b>Voltage max. (V)</b>	36 V
<b>Type of Voltage</b>	DC
<b>Protection class</b>	IP20
<b>Lightsource</b>	LED
<b>Lightsource incl.</b>	Yes
<b>Bulb shape</b>	reflector
<b>Colour temperature</b>	4300 K
<b>Average lamp durability</b>	75000 h
<b>Mounting</b>	Desktop
<b>External dimensions LxWxH</b>	970x60x68mm
<b>Type of switch</b>	On-Off, 2-pole
<b>Colour</b>	Black
<b>Weight</b>	1,2 kg

Remarks:

LED Chart table light - Lumius Flex

Light source: LED 4W inclusive and dimmable

Color Rendering Index: CRI 93

Base: Equipped with four mounting holes

Power Switch and Rotary Dimmer

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

placed in the base  
Cable length: 2 m  
Arm length: 700mm  
Lamp head with joint

## Spare parts

SP-TKL-HM35/Lumius Glass HM red

22000763

12.05.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com