


USB-charging-Schuko socket 2401933 - SE

Dual socket USB / Schuko 16A 250V aluminium, RAL 7035, IP44



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



WISKA-Order no.

50107130

Type	USB-charging-Schuko socket 2401933 - SE
Voltage	250 V
Current	16 A
Protection class	IP44
Material	Cast aluminium
Using for cable gland	
Type of cable gland	PG16 / 12-14mm
External dimensions LxWxH	160x75x59mm
Socket insert	SCHUKO/USB
Weight	0,6 kg
Colour	RAL 7035
Mounting	Surface mounting
Variations	on request

Remarks:

USB-charging socket:

- 2x USB 2.0 A
- 100-240V AC, 50/60Hz
- Out 5V DC
- max. 500mA

Schuko-socket:

- 16A / 250V AC

12.08.2026


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com




Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com