

Certificate of Compliance

Certificate Number(s):

UL-CA-L179850-41-
20600102-9

Report Reference:

E179850-20100602

Issue Date:

2026-04-17

Issued to:

WISKA Hoppmann GmbH
Kisdorfer Weg 28, Kaltenkirchen, 24568, DE

This certificate confirms that representative samples of:
QCRV8 - Outlet Bushings and Fittings Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 18.3-12, Edition 2, Issue Date 2012-07-13,
Revision Date 2024-03-28**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Picuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L179850-41-20600102-9
Report reference: E179850-20100602
Issue Date: 2026-04-17

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

| Model | Product Description |
|---|--|
| Brass cable glands with metric thread, EMSK, f/b "V" or "E", may be f/b S or Z, may be f/b -L, may be f/b "-Cr" or "Bl", may be f/b -SET, may be f/b up to five digit, may be f/b two digits, may be f/b "EMV-Z" or "EMV-S" | Liquid tight flexible cord connectors, series SPRINT |
| Brass cable glands with metric thread and venting function, EMSVG, may be f/b S or Z, may be f/b -L, may be f/b "-Cr" or "Bl", may be f/b -SET, may be f/b up to five digit, may be f/b "EMV-Z" or "EMV-S" | Liquid tight flexible cord connectors, series SPRINT |
| Plastic cable glands with metric thread, ESKV, may be f/b S or Z, may be f/b -L, may be f/b -SET, may be f/b up to five digit, may be f/b two digits, may be f/b PLUS, f/b two digits | Liquid tight flexible cord connectors, series SPRINT |
| Plastic cable glands with metric thread, ESKV 25 GFD 01/080 | Liquid tight flexible cord connectors, series SPRINT |
| Plastic cable glands with NPT thread, NSKV 3/4 GFD 01/080 | Liquid tight flexible cord connectors, series SPRINT |
| Plastic cable glands with metric thread and venting function, ESGV 25 GFD 01/080 | Liquid tight flexible cord connectors, series SPRINT |
| Stainless steel cable glands with metric thread, ESSK, f/b "V" or "E", may be f/b S or Z, may be f/b -L, may be f/b "-4", may be f/b "-SET", may be f/b up to five digit, may be f/b two digits, may be f/b "EMV-Z" or "EMV-S" | Liquid tight flexible cord connectors, series SPRINT |
| Stainless steel cable glands with metric thread and venting function, ESSVG, may be f/b S or Z, may be f/b -L, may be f/b -SET, may be f/b up to five digit, may be f/b two digits, may be f/b "EMV-Z" or "EMV-S" | Liquid tight flexible cord connectors, series SPRINT |
| Plastic cable glands with metric thread and venting function, ESGV, may be f/b S or Z, may be f/b -L, may be f/b -SET, may be f/b up to five digit, may be f/b two digits, may be f/b PLUS, f/b two digits | Liquid tight flexible cord connectors, series SPRINT |
| Brass cable glands with NPT thread, NMSK, f/b "V" or "E", may be f/b S or Z, may be f/b -L, may be f/b "-Cr" or "Bl", may be f/b -SET, may be f/b up to five digit, may be f/b "EMV-Z" or "EMV-S" | Liquid tight flexible cord connectors, series SPRINT |
| Plastic cable glands with NPT thread, NSKV, may be f/b S or Z, f/b up to four digits, f/b two digits | Liquid tight flexible cord connectors, series SPRINT |
| Stainless steel cable glands with NPT thread, NSSK, f/b "V" or "E", may be f/b S or Z, may be f/b -L, may be f/b "-4", may be f/b "-SET", may be f/b up to five digit, may be f/b "EMV-Z" or "EMV-S" | Liquid tight flexible cord connectors, series SPRINT |

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L179850-41-20600102-9
Report reference: E179850-20100602
Issue Date: 2026-04-17

| | |
|---|--|
| Brass cable glands with Pg thread , PMSK, f/b "V" or "E", may be f/b S or Z, may be f/b -L, may be f/b "-Cr" or "BI", may be f/b -SET, may be f/b up to five digit, f/b three digits, may be f/b "EMV-Z" or "EMV-S" | Liquid tight flexible cord connectors, series SPRINT |
| Stainless steel cable glands with Pg thread , PSSK, f/b "V" or "E", may be f/b S or Z, may be f/b -L, may be f/b "-4", may be f/b "-SET", may be f/b up to five digit, may be f/b three digit, may be f/b "EMV-Z" or "EMV-S" | Liquid tight flexible cord connectors, series SPRINT |
| Plastic cable glands with Pg thread , SKV, f/b up to four digits, may be f/b "1/6" or "1/5", f/b two digits | Liquid tight flexible cord connectors |

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

